

<p>integer, float, boolean, string, bytes</p> <pre>int 783 0 -192 0b010 0o642 0xF3 float 9.23 0.0 -1.7e-6 bool True False str "One\nTwo" bytes b"toto\xfe\775"</pre> <p>Base Types</p>	<p>ordered sequences, fast index access, repeatable values</p> <pre>list [1,5,9] ["x",11,8.9] tuple (1,5,9) 11,"y",7.4</pre> <p>Container Types</p> <pre>["mot"] ("mot",) {"key":"value"} dict(a=3,b=4,k="v") {1:"one",3:"three",2:"two",3.14:"pi"} {"key1","key2"} set {1,9,3,0} frozenset immutable set</pre>
--	---

<p>for variables, functions, modules, classes... names</p> <p>a...zA...Z_ followed by a...zA...Z_0...9</p> <ul style="list-style-type: none"> <li>diacritics allowed but should be avoided</li> <li>language keywords forbidden</li> <li>lower/UPPER case discrimination</li> </ul> <p>⊗ a toto x7 y_max BigOne ⊗ by and for</p> <p>Identifiers</p>	<p>int ("15") → 15 int ("3f",16) → 63 int (15.56) → 15 float ("-11.24e8") → -112400000.0 round(15.56,1) → 15.6 bool(x) False for null x, empty container x, None or False x; True for other x str(x) → "..." representation string of x for display (cf. formatting on the back) chr(64) → '@' ord('@') → 64 code ↔ char repr(x) → "..." literal representation string of x bytes([72,9,64]) → b'H\t@' list("abc") → ['a','b','c'] dict([(3,"three"),(1,"one")]) → {1:'one',3:'three'} set(["one","two"]) → {'one','two'} separator str and sequence of str → assembled str '.join(['toto','12','pswd']) → 'toto:12:pswd' str splitted on whitespaces → list of str "words with spaces".split() → ['words','with','spaces'] str splitted on separator str → list of str "1,4,8,2".split(",") → ['1','4','8','2'] sequence of one type → list of another type (via comprehension list) [int(x) for x in ('1','29','-3')] → [1,29,-3]</p> <p>type (expression)</p> <p>Conversions</p> <p>can specify integer number base in 2<sup>nd</sup> parameter truncate decimal part rounding to 1 decimal (0 decimal → integer number)</p>
---	---

= Variables assignment

- evaluation of right side expression value
- assignment in order with left side names

⊗ assignment ↔ binding of a name with a value

```
x=1.2+8+sin(y)
a=b=c=0 assignment to same value
y,z,r=9.2,-7.6,0 multiple assignments
a,b=b,a values swap
a,*b=seq } unpacking of sequence in
*a,b=seq } item and list
x+=3 increment ⇔ x=x+3
x-=2 decrement ⇔ x=x-2
x=None « undefined » constant value
del x remove name x
```

for lists, tuples, strings, bytes...

negative index	-5	-4	-3	-2	-1	
positive index	0	1	2	3	4	
	10	20	30	40	50	
positive slice	0	1	2	3	4	5
negative slice	-5	-4	-3	-2	-1	

Items count  
len(lst) → 5  
⊗ index from 0 (here from 0 to 4)

Individual access to items via lst [index]  
lst[0] → 10 ⇒ first one      lst[1] → 20  
lst[-1] → 50 ⇒ last one      lst[-2] → 40

On mutable sequences (list), remove with del lst[3] and modify with assignment lst[4]=25

Access to sub-sequences via lst [start slice : end slice : step]

```
lst[:-1] → [10,20,30,40]    lst[::-1] → [50,40,30,20,10]    lst[1:3] → [20,30]    lst[:3] → [10,20,30]
lst[1:-1] → [20,30,40]    lst[:-2] → [50,30,10]    lst[-3:-1] → [30,40]    lst[3:] → [40,50]
lst[::2] → [10,30,50]    lst[:] → [10,20,30,40,50] shallow copy of sequence
```

Missing slice indication → from start / up to end.  
On mutable sequences (list), remove with del lst[3:5] and modify with assignment lst[1:4]=[15,25]

<p>Boolean Logic</p> <p>Comparators: &lt; &gt; &lt;= &gt;= == != (boolean results) ≤ ≥ = ≠</p> <p>a and b logical and both simultaneously</p> <p>a or b logical or one or other or both</p> <p>⊗ pitfall : and and or return value of a or of b (under shortcut evaluation). ⇒ ensure that a and b are booleans.</p> <p>not a logical not</p> <p>True } True and False constants False }</p>	<p>Statements Blocks</p> <pre>parent statement: statement block 1... ... parent statement: statement block 2... ... next statement after block 1</pre> <p>⊗ configure editor to insert 4 spaces in place of an indentation tab.</p>	<p>Modules/Names Imports</p> <pre>module truc ⇒ file truc.py from monmod import nom1,nom2 as fct → direct acces to names, renaming with as import monmod → acces via monmod.nom1... ⊗ modules and packages searched in python path (cf sys.path)</pre> <p>statement block executed only if a condition is true</p> <p>Conditional Statement</p> <pre>if logical condition: statements block</pre> <p>Can go with several elif, elif... and only one final else. Only the block of first true condition is executed.</p> <pre>if age&lt;=18: state="Kid" elif age&gt;65: state="Retired" else: state="Active"</pre>
--	---	--

<p>Booleans</p> <p>floating numbers... approximated values</p> <p>Operators: + - * / // % ** Priority (...) integer ÷ ÷ remainder</p> <pre>@ → matrix × python3.5+numpy (1+5.3)*2 → 12.6 abs(-3.2) → 3.2 round(3.57,1) → 3.6 pow(4,3) → 64.0</pre> <p>⊗ usual priorities</p>	<p>Maths</p> <pre>from math import sin,pi... sin(pi/4) → 0.707... cos(2*pi/3) → -0.4999... sqrt(81) → 9.0 log(e**2) → 2.0 ceil(12.5) → 13 floor(12.5) → 12</pre> <p>modules math, statistics, random, decimal, fractions, numpy, etc. (cf. doc)</p>	<p>Exceptions on Errors</p> <p>Errors processing:</p> <pre>try: normal processing block except Exception as e: error processing block</pre> <p>⊗ finally block for final processing in all cases.</p> <p>Signaling an error:</p> <pre>raise Exception(...)</pre>
--	---	--

### Conditional Loop Statement

statements block executed **as long as** condition is true

**while** *logical condition* :  
 → statements block

**s = 0**  
**i = 1** → initializations before the loop  
 condition with a least one variable value (here **i**)

```
while i <= 100:
    s = s + i**2
    i = i + 1
print("sum:", s)
```

*beware of infinite loops!* *make condition variable change!*

### Iterative Loop Statement

statements block executed **for each** item of a container or iterator

**for** *var* in *sequence* :  
 → statements block

Go over sequence's **values**

```
s = "Some text"
cnt = 0
for c in s:
    if c == "e":
        cnt = cnt + 1
print("found", cnt, "e")
```

initializations before the loop  
 loop variable, assignment managed by **for** statement  
 Algo: count number of e in the string.

### Display

**print** ("v=", 3, "cm :", x, " ", y+4)

items to display : literal values, variables, expressions

**print** options:

- sep=" "** items separator, default space
- end="\n"** end of print, default new line
- file=sys.stdout** print to file, default standard output

**s = input("Instructions: ")**

**Input**  
 input always returns a **string**, convert it to required type (cf. boxed Conversions on the other side).

loop on dict/set ⇔ loop on keys sequences  
 use **slices** to loop on a subset of a sequence

Go over sequence's **index**

- modify item at index
- access items around index (before / after)

```
lst = [11, 18, 9, 12, 23, 4, 17]
lost = []
for idx in range(len(lst)):
    val = lst[idx]
    if val > 15:
        lost.append(val)
        lst[idx] = 15
print("modif:", lst, "-lost:", lost)
```

Algo: limit values greater than 15, memorizing of lost values.

Go simultaneously on sequence's **index** and **values**:

```
for idx, val in enumerate(lst):
```

### Generic Operations on Containers

**len(c)** → items count  
**min(c)** **max(c)** **sum(c)**  
**sorted(c)** → **list** sorted copy  
**val in c** → boolean, membership operator **in** (absence **not in**)  
**enumerate(c)** → iterator on (index, value)  
**zip(c1, c2...)** → iterator on tuples containing **c<sub>i</sub>** items at same index  
**all(c)** → **True** if **all c** items evaluated to true, else **False**  
**any(c)** → **True** if **at least one** item of **c** evaluated true, else **False**

Note: For dictionaries and sets, these operations use **keys**.

Specific to **ordered sequences containers** (lists, tuples, strings, bytes...)

**reversed(c)** → **inversed iterator** **c\*5** → duplicate **c+c2** → concatenate  
**c.index(val)** → position **c.count(val)** → events count

**import copy**  
**copy.copy(c)** → shallow copy of container  
**copy.deepcopy(c)** → deep copy of container

### Integers Sequences

**range([start,] end [,step])**  
 start default 0, fin not included in sequence, pas signed default 1

```
range(5) → 0 1 2 3 4
range(2, 12, 3) → 2 5 8 11
range(3, 8) → 3 4 5 6 7
range(20, 5, -5) → 20 15 10
range(len(seq)) → sequence of index of values in seq
```

range provides an **immutable sequence** of int constructed as needed

### Function Definition

function name (identifier)  
 named parameters

```
def fct(x, y, z):
    """documentation"""
    # statements block, res computation, etc.
    return res
```

# statements block, res computation, etc.  
 result value of the call, if no computed result to return: **return None**

parameters and all variables of this block exist only in the block and during the function call (think of a "black box")

Advanced: **def fct(x, y, z, \*args, a=3, b=5, \*\*kwargs)** :  
 \*args variable positional arguments (→ **tuple**), default values,  
 \*\*kwargs variable named arguments (→ **dict**)

### Operations on Lists

modify original list

- lst.append(val)** add item at end
- lst.extend(seq)** add sequence of items at end
- lst.insert(idx, val)** insert item at index
- lst.remove(val)** remove first item with value **val**
- lst.pop([idx])** → value remove & return item at index **idx** (default last)
- lst.sort()** **lst.reverse()** sort / reverse liste *in place*

### Function Call

**r = fct(3, i+2, 2\*i)**  
 storage/use of returned value one argument per parameter

this is the use of function name with parenthesis which does the call

Advanced:  
 \*sequence  
 \*\*dict

### Operations on Dictionaries

**d[key]=value** **d.clear()**  
**d[key] → value** **del d[key]**  
**d.update(d2)** → update/add associations  
**d.keys()** → iterables views on keys/values/associations  
**d.values()**  
**d.items()**  
**d.pop(key[, default])** → value  
**d.popitem()** → (key, value)  
**d.get(key[, default])** → value  
**d.setdefault(key[, default])** → value

### Operations on Sets

Operators:  
 | → union (vertical bar char)  
 & → intersection  
 - ^ → difference/symmetric diff.  
 < <= > >= → inclusion relations  
 Operators also exist as methods.

```
s.update(s2) s.copy()
s.add(key) s.remove(key)
s.discard(key) s.clear()
s.pop()
```

### Files

storing data on disk, and reading it back

```
f = open("file.txt", "w", encoding="utf8")
```

file variable name of file opening mode encoding of chars for text files

for operations on disk (+path...)  
 cf. modules **os**, **os.path** and **pathlib**

writing read empty string if end of file reading

```
f.write("coucou") f.read([n]) → next chars
f.writelines(list of lines) f.readlines([n]) → list of next lines
f.readline() → next line
```

text mode **t** by default (read/write **str**), possible binary mode **b** (read/write **bytes**). Convert from/to required type!

**f.close()** dont forget to close the file after use!

**f.flush()** write cache **f.truncate([taille])** resize

reading/writing progress sequentially in the file, modifiable with:  
**f.tell()** → position **f.seek(position[, origin])**

Very common: opening with a guarded block (automatic closing) and reading loop on lines of a text file:

```
with open(...) as f:
    for line in f:
        # processing of line
```

### Formatting

formatting directives values to format

```
"modele{ } { } { }".format(x, y, r) → str
```

"{selection:formatting!conversion}"

Selection:

```
2
nom
0.nom
4[key]
0[2]
```

Examples:

```
{:+.2f}.format(45.72793) → '+45.728'
'{1:>10s}'.format(8, "toto") → 'toto'
'{x!r}'.format(x="I'm") → "'I\'m'"
```

Formatting:  
 fill char alignment sign mini width . precision-maxwidth type

< > ^ = + - space 0 at start for filling with 0  
 integer: **b** binary, **c** char, **d** decimal (default), **o** octal, **x** or **X** hexa...  
 float: **e** or **E** exponential, **f** or **F** fixed point, **g** or **G** appropriate (default),  
 string: **s** ... % percent

Conversion: **s** (readable texte) or **r** (literal representation)

good habit : don't modify loop variable